

Coff

In re Patent of:

AKIRA TSUBOYAMA ET AL.

Appln. No.: 10/090,838

Filed: March 6, 2002

For: METAL COORDINATION)
COMPOUND, LUMINESCENCE :
DEVICE AND DISPLAY APPARATUS)

Certificate
APR 03 2006
of Correction

U.S. Patent No.: 6,974,639 B2

Issued: December 13, 2005

) March 27, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON THE TITLE PAGE [57] ABSTRACT:

Line 11, “MLm” should read $--ML_m--$.

COLUMN 8:

Line 57, “reducing” should read --reduce--.

COLUMN 25:

Line 39, "IN-hydrochloric" should read --1N-hydrochloric--.

COLUMN 32:

Line 56, "schemes" should read --scheme--.

COLUMN 39:

Line 53, "(1)" should read --(1) is--.

COLUMN 40:

Line 67, "ent" should read --ent:--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200